












Top list of requirements for raised latrines

June 13th 2012


By Aldus bouwinnovatie






Method

- 1. Preparing concept list of specifications
- Questionnaires for humanitarian organizations Prioritize and comment
- 3. Result: valuable input of 14 different organizations
- 4. Concluding: preliminary list of specifications



Top 10 requirements Raised latrines

- 1. Transportability: the emergency kit (raised latrine) should be low in volume(possibly flat packed or foldable) and be able to fit on standard euro pallet to allow easy transportation. (3,69)
- 2. Privacy: the product should provide privacy to the different target groups. (3,69)
- 3. Vector reduction (3,67)
- 4. The product (especially the floor) should be easy to clean (3,66)
- 5. Main target group: the product should allow accessibility and use by common users with ease and mobility (3,53)



- 6. the product should be designer for users who prefer to squat when defecating (3,46)
- 7. Compatability: the product should allow compatability with commonly used products parts (slabs) without leading to gaps or structural weaknesses(3,41)
- 8. Odour reduction (3,4)
- 9. Components of product are sufficiently durable or robust to withstand at least 6 months of extreme conditions in terms of weather, handling and transport without any mayor maintenance requirements. (3,3)
- 10. It should be able to set up the raised latrine on different soil types (rock, pavement, wet soils) without any preparation needed for the soil (apart from levelling) (3,23)